

EXHIBIT A

Essential Update

News Update
AIDS Update
Respiratory Update
Cardiology Update
Infection Update
Neurology Update
Ophthalmology Update
Disease of the Month
Medical Slides
Conferences

Therapeutic Index

● Cipla
● Cipla Protect

New Introductions

● Internationally
● Cipla

Essential Reading

Publications
Patient help
Treatment guidelines

Search:

 www.cipla.com

 www.cipladoc.com

Cipla

Therapeutic Index

Gynecological Products

Forcan TZ KIT

Fluconazole and Tinidazole

Composition
Each kit contains
(A) One Fluconazole Tablet
Each tablet contains --
Fluconazole 150 mg
Colour: Puceau 48
(B) Two Tinidazole Tablets IP
Each film-coated tablet contains --
Tinidazole IP 500 mg
Colours: Tharoon, Dharma IP and
Like Indigo Cambré

Description

Fluconazole is a triazole antifungal structurally related to imidazole-derivative antifungals. The nitrogen of the azole ring of the fluconazole binds to the heme moiety of the fungal 450 enzyme lanosterol 14 α -demethylase which leads conversion of lanosterol to ergosterol that leads to a cascade of abnormalities in membrane permeability. Fluconazole is a very long including yeast and dematiomycetes. In vitro, Fluconazole is active against strains of *Candida*, including strains of *C. albicans* and *T. tonsurans* glaberrima. Tinidazole is a nitroimidazole which has antimicrobial action against microaerophilic protozoa, *Giardia lamblia*, Trichomonas vaginalis and against obligate anaerobic bacteria & DNA strands or inhibition of their synthesis.

Indications

Forcan-TZ is indicated in the management of vaginal candidiasis, vaginal trichomoniasis, bacterial vaginosis. This kit should preferably be given to both the partners to prevent

Dosage and Administration

One tablet of Fluconazole and 2 tablets of Tinidazole as a single oral dose. Both the partners should be treated with this dose to minimize recurrences.

Contraindications

Hypersensitivity to either azole group or nitroimidazole group of compounds and in those patients with a history of blood dyscrasias. Forcan-TZ kit is also contraindicated in p lactation.

Warnings & Precautions

Drug Interactions

Anticoagulants/Fluconazole has been shown to prolong prothrombin time when given concomitantly with coumarin drugs, hence requires careful monitoring.

Cyclosporine/Concomitant administration of fluconazole and cyclosporine may result in increase in cyclosporine level.

Phenytoin/Fluconazole significantly increases phenytoin levels and AUC, resulting in phenytoin toxicity.

Oral hypoglycemics/Concomitant administration of Fluconazole and oral hypoglycemics such as glibenclamide in diabetic patients results in increased plasma concentration & metabolism of antidiabetic agents.

Pregnancy

It is contraindicated in first trimester of pregnancy. There are no adequate and well-controlled studies in pregnant women.

Lactation

While the drug is excreted in breast milk, it should not be used in lactating women.

Local Impairment

Caution has to be taken.

Hepatic Impairment

Patients who develop abnormal liver function should be monitored.

Side Effects

Fluconazole generally is well tolerated. Headache, dizziness, skin rash, abdominal pain, vomiting and diarrhea are the only commonly reported side effects. The usual symptom effects of tinidazole are a metallic taste and mild nausea.

Presentation

Each kit of Forcan-TZ contains
One tablet of Fluconazole (150 mg) and
Two tablets of Tinidazole (500 mg)

[News Updates](#) | [Cardiology Update](#) | [Infection Update](#) | [Treatment Guidelines](#) |
[Respiratory Update](#) | [Neurology Update](#) | [Ophthalmology Update](#) | [Medline](#) | [Cont.](#)
[Medical Slides](#) | [Patient Help](#) | [Conferences](#) | [Forum](#) | [Medical Quiz](#) | [New Introdu.](#)
[Disease of the Month](#) | [Interesting Links](#) | [New Introductions Internationally](#) | [Car](#)
[Therapeutic Index](#) | [Cipla.com](#)

Site best viewed in IE ver 4 + @ 800 x 600 resolution
Copyright © 2000, All rights reserved.

Site designed and maintained by [Thatz It Productions](#)

EXHIBIT B

5 Results

* denotes when site was updated.
Material typically becomes available here 6 months after collection. See FAQ.

1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
0	0	0	0	0	0	0	0	1 pages	1 pages	3 pages	0 pages

Nov 27, 2004 * Jan 15, 2005 May 18, 2006 *
Jun 21, 2006
Sep 19, 2006